

# Environment Protection Licence Monitoring Data



**Project Name:** NorthConnex  
**Environment Protection Licence No:** 20570  
**Link to Public Register on EPA website:** [NorthConnex - EPL 20570](#)  
**Premise Address:** BETWEEN WINDSOR ROAD, BAULKHAM HILLS & M2 MOTORWAY, PENNANT HILLS & M1 MOTORWAY WAHROONGA NSW 2076  
**Date Published:** 11-September-2020  
**Monitoring Data for the Period:** 01-August-2020 to 31-August-2020

**Monitoring Type:** Water Discharge Monitoring

EPL Discharge Point	Date Sampled	Date data obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comments
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
Southern MOC WTP	1-Aug-20	1-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.9	None visible	None visible	Daily During Discharge	
Southern MOC WTP	2-Aug-20	2-Aug-20	50	N/A	50	<5	6.5 - 8.5	8.3	None visible	None visible	Daily During Discharge	
Southern MOC WTP	3-Aug-20	3-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.1	None visible	None visible	Daily During Discharge	
Southern MOC WTP	4-Aug-20	4-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.3	None visible	None visible	Daily During Discharge	
Southern MOC WTP	5-Aug-20	5-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.2	None visible	None visible	Daily During Discharge	
Southern MOC WTP	6-Aug-20	6-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.1	None visible	None visible	Daily During Discharge	
Southern MOC WTP	7-Aug-20	7-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.6	None visible	None visible	Daily During Discharge	
Southern MOC WTP	8-Aug-20	8-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.8	None visible	None visible	Daily During Discharge	
Southern MOC WTP	9-Aug-20	9-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.7	None visible	None visible	Daily During Discharge	
Southern MOC WTP	10-Aug-20	10-Aug-20	50	N/A	50	<5	6.5 - 8.5	6.9	None visible	None visible	Daily During Discharge	
Southern MOC WTP	11-Aug-20	11-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.2	None visible	None visible	Daily During Discharge	
Southern MOC WTP	12-Aug-20	12-Aug-20	50	N/A	50	<5	6.5 - 8.5	7	None visible	None visible	Daily During Discharge	
Southern MOC WTP	13-Aug-20	13-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.5	None visible	None visible	Daily During Discharge	
NC 03	14-Aug-20	14-Aug-20	40	14.9	50	N/A	6.5 - 8.5	8.1	None visible	None visible	Special Frequency 1	
Southern MOC WTP	14-Aug-20	14-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.5	None visible	None visible	Daily During Discharge	
Southern MOC WTP	15-Aug-20	15-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.9	None visible	None visible	Daily During Discharge	
Southern MOC WTP	16-Aug-20	16-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.8	None visible	None visible	Daily During Discharge	
Southern MOC WTP	17-Aug-20	17-Aug-20	50	N/A	50	<5	6.5 - 8.5	8.1	None visible	None visible	Daily During Discharge	
Southern MOC WTP	18-Aug-20	18-Aug-20	50	N/A	50	<5	6.5 - 8.5	8	None visible	None visible	Daily During Discharge	
Southern MOC WTP	19-Aug-20	19-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.9	None visible	None visible	Daily During Discharge	
Southern MOC WTP	20-Aug-20	20-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.6	None visible	None visible	Daily During Discharge	
Southern MOC WTP	21-Aug-20	21-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.8	None visible	None visible	Daily During Discharge	
Southern MOC WTP	22-Aug-20	22-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.6	None visible	None visible	Daily During Discharge	
Southern MOC WTP	23-Aug-20	23-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.7	None visible	None visible	Daily During Discharge	
Southern MOC WTP	24-Aug-20	24-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.7	None visible	None visible	Daily During Discharge	
Southern MOC WTP	25-Aug-20	25-Aug-20	50	N/A	50	<5	6.5 - 8.5	8.1	None visible	None visible	Daily During Discharge	
Southern MOC WTP	26-Aug-20	26-Aug-20	50	N/A	50	<5	6.5 - 8.5	8.2	None visible	None visible	Daily During Discharge	
Southern MOC WTP	27-Aug-20	27-Aug-20	50	N/A	50	<5	6.5 - 8.5	8	None visible	None visible	Daily During Discharge	
Southern MOC WTP	28-Aug-20	28-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.9	None visible	None visible	Daily During Discharge	
Southern MOC WTP	29-Aug-20	29-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.8	None visible	None visible	Daily During Discharge	
Southern MOC WTP	30-Aug-20	30-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.7	None visible	None visible	Daily During Discharge	
Southern MOC WTP	31-Aug-20	31-Aug-20	50	N/A	50	<5	6.5 - 8.5	7.6	None visible	None visible	Daily During Discharge	

mg/L = Milligrams per litre

NTU = Nephelometric Turbidity Unit

N/A = Not Applicable

NV = None Visible

DNS = Did Not Sample